LESSON PLAN FOR STRUCTURAL DESIGN -1

| Discipline Civil Engg. | Semester: 4 th | Name of teaching faculty: Sanjeeb Meher |
|---------------------------------|---------------------------|--|
| Subject: | Nos of days per week | |
| STRUCTURAL DESIGN -1 | class allotted: 5 | |
| Week | Class day | Theory topics |
| DEC 2 ND | 1 ST | Working stress method (WSM) |
| Week | | 1.1 Objectives of design and detailing. State the different methods of design of concrete structures. |
| | 2 ND | Introduction to reinforced concrete, R.C. sections their behavior, grades of concrete and steel. Permissible stresses, assumption in |
| | | W.S.M. |
| | 3 RD | Flexural design and analysis of single reinforced sections from first principles. |
| | 4th | Concept of under reinforced, over reinforced and balanced sections. |
| | 5th | Advantages and disadvantages of WSM, reasons for its obsolescence |
| DEC 3 rd Week | 1 ST | Philosophy Of Limit State Method (LSM) 2.1 Definition, Advantages of LSM over WSM, |
| Week | 2 ND | IS code suggestions regarding design philosophy. |
| | 3 RD | Types of limit states, partial safety factors for materials strength, |
| | 4 TH | characteristic strength, characteristic load, design load, |
| | 5 TH | loading on structure as per I.S. 875 |
| January 1 st week | 1 st | Study of I.S specification regarding spacing of reinforcement in slab, , |
| | 2 ND | cover to reinforcement in slab |
| January 2nd week | 1 ST | beam column & footing, minimum reinforcement in slab, beam & column, |
| | 2 ND | lapping, anchorage, effective span for beam & slab. |
| | 3 RD | Analysis and Design of Single and Double Reinforced Sections (LSM) |
| | 4 TH | 3.1 Limit state of collapse (flexure), Assumptions, Stress-Strain relationship for concrete and steel, neutral axis, stress block diagram and strain diagram for singly reinforced section. |
| | 5 TH | Concept of under- reinforced, over-reinforced and limiting section, neutral axis |

| | | co-efficient |
|-------------|-----------------|---|
| January 3rd | 1 ST | limiting value of moment of resistance and limiting |
| week | | percentage of |
| | | steel required for limiting singly R.C. section. |
| | 2 ND | Analysis and design: determination of design constants, |
| | | moment of resistance |
| | | and area of steel for rectangular sections |
| | 3 RD | Necessity of doubly reinforced section |
| | 4 TH | design of doubly reinforced rectangular |
| | | section |
| | 5 TH | Shear, Bond and Development Length (LSM) |
| | | 4.1 Nominal shear stress in R.C. section, |
| January 4th | 1 ST | design shear strength of concrete, |
| week | | maximum shear stress, design of shear reinforcement, |
| | 2 ND | minimum shear |
| | | reinforcement, forms of shear reinforcement. |
| | 3 RD | Bond and types of bond, bond stress, check for bond stress, |
| | 4 TH | development |
| | | length in tension and compression, anchorage value for hooks 900 bend |
| | 5 TH | 450 bend standards lapping of bars, check for |
| | | development length. |
| January 5th | 1 ST | Numerical problems on deciding whether shear |
| week | | reinforcement is required or |
| | No | not, check for adequacy of the section in shear. |
| | 2 ND | Design of shear |
| | | reinforcement; Minimum shear reinforcement in beams |
| | | (Explain through |
| | | examples only). |
| | 3 RD | Analysis and Design of T-Beam (LSM) |
| | | 5.1 General features, advantages, |
| | 4th | effective width of flange as per IS: 456-2000 |
| | | code provisions. |
| | 5th | Analysis of singly reinforced T-Beam, |
| February | 1 ST | strain diagram & stress diagram, depth |
| 2nd week | | of neutral axis, |
| | 2 ND | moment of resistance of T-beam section with neutral axis |
| | | lying |
| | | within the flange. |
| | 3 RD | Simple numerical problems on deciding effective flange |
| | | width. (Problems only |
| | | on finding moment of resistance of T-beam section when |
| | | N.A. lies within or up |
| | | I am a man an ah |

| | | to the bottom of flange shall be asked in written examination) |
|-------------------------------|-----------------|---|
| | 4 TH | Simple numerical problems on deciding effective flange width. (Problems only on finding moment of resistance of T-beam section when |
| | | N.A. lies within or up |
| | | to the bottom of flange shall be asked in written |
| | | examination) |
| | 5 TH | Analysis and Design of Slab and Stair case (LSM). |
| February 3rd week | 1 ST | 6.1 Design of simply supported one-way slabs for flexure check for deflection control and shear |
| | 2 ND | Design of one-way cantilever slabs |
| | 3 RD | cantilevers chajjas for flexure check for deflection control |
| | 4 TH | check for development length and shear. |
| February 4th week | 1 ST | Design of two-way simply supported slabs for flexure with corner free to lift. |
| | 2 ND | Design of two-way simply supported slabs for flexure with corner free to lift. |
| | 3 RD | Design of dog-legged staircase |
| | 4th | Design of dog-legged staircase |
| | 5th | Detailing of reinforcement in stairs spanning longitudinally. |
| February 5th week | 1 ST | Design of Axially loaded columns and Footings (LSM) |
| | 2 ND | Assumptions in limit state of collapse- compression. |
| | 3 RD | Definition and classification of columns |
| | 4 TH | effective length of column. |
| | 5 TH | Specification for minimum reinforcement |
| March 1st week | 1 ST | cover, maximum reinforcement |
| | 2 ND | number of bars in rectangular |
| | 3 RD | number of bars in square and circular sections |
| | 4 TH | diameter and spacing of lateral ties. |
| | 5 TH | Analysis and design of axially loaded short square |
| March 2 nd week | 1 ST | Analysis and design of axially loaded short square, rectangular |
| | 2 ND | Analysis and design of axially loaded short square, rectangular and circular columns (with lateral ties only). |
| | 3 RD | Types of footing, |
| March 3 rd week | 1 ST | Design of isolated square column footing of uniform thickness for flexure and shear. |

| | I ND | |
|-----------------------|-----------------|---|
| | 2 ND | Design of isolated square column footing of uniform |
| | | thickness for flexure and shear |
| | 3 RD | Design of isolated square column footing of uniform |
| | | thickness for shear |
| | 4 TH | Design of isolated square column footing of uniform |
| | | thickness for shear |
| | 5 TH | Doubt clearing |
| March 4 th | 1 ST | Doubt clearing |
| week | | |
| | 2 ND | Revision |
| | 3 RD | Revision |
| | 4 TH | Question discussion |
| | 5 TH | Question discussion |